

FIG.1A




FIG.1B




FIG.3




FIG.4




FIG.5A




FIG.5B




FIG.5C




FIG.6A




FIG.6B




FIG.6C




FIG.7A




FIG.7B




FIG.7C




FIG.8A




FIG.8B




FIG.8C




FIG.9A




FIG.9B




FIG.9C




FIG.10A




FIG.10B




FIG.10C




FIG.11A




FIG.11B




FIG.11C




FIG.12A

400
↓




FIG.12B

300
↓




FIG.12C

300
↓




FIG.13A

FIG.13B

FIG.13C




FIG. 14B





FIG.15A




FIG.15B




FIG.15C




FIG.16A

400 ↓




FIG.16B

300 ↓







FIG.16C

300 ↓



$$\frac{400}{\downarrow}$$


[illegible][illegible]

FIG. 19C




FIG.20A

FIG.20B

FIG.20C




FIG.22A




FIG.22B




FIG.22C




FIG.23A




FIG.23B




FIG.23C




FIG.26




FIG.27A




FIG.27B




FIG.27C




Fig. 6 shows a cross-sectional view of a device. It features a central component 1f surrounded by a housing 1. The housing includes a flange 6 at one end. Internal components are labeled with various numbers: 1, 5, 6, 12, 35, 37, 38, 39, 40, 41, 13a, 13b, 14, 30, 31, 38, and 1f. A scale bar at the bottom indicates a length of 400 units.

FIG.29A




FIG.29B







FIG.29C



$\frac{400}{\downarrow}$



$\frac{300}{\downarrow}$



$\frac{300}{\downarrow}$




FIG.32A




FIG.32B




FIG.32C





FIG. 33C



[illegible]

A cross-sectional view of a multi-layered structure 300. The structure consists of several layers: a top layer 1f, a layer 10, a layer 8, a layer 13, and a bottom layer 41. The layer 13 is further divided into sub-layers 13a and 13b. The structure is shown with various hatching patterns to indicate different materials or layers. A vertical arrow 51 points downwards, indicating a direction of flow or force. The structure is labeled 300 at the top.

FIG.36




FIG. 37C




FIG. 37C




FIG. 37B

FIG.39A




FIG.39B




FIG.39C




FIG.40




FIG.41




FIG.42A




FIG.42B




FIG.42C

